Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



# **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Owner M/S RANAWAT PROPERTIES S.No. 10/1, Vadgaon Budruk, Pune -411041

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/280807/2022 dated 29 Jun 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC22B038MH189769 2. File No. SIA/MH/MIS/280807/2022 3. **Project Type** New

4. Category 5. Project/Activity including 8(a) Building and Construction projects

Schedule No. Proposed Residential Site "Aura Waters", Sr No. 10/1 and Sr No. 13, Vadgaon 6. Name of Project

Budruk, Pune – 411041 by M/s. Ranawat **Properties** 

Name of Company/Organization M/S RANAWAT PROPERTIES 7. 8. **Location of Project** Maharashtra

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé . I.A.S. Date: 07/12/2022 **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/280807/2022 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s. Ranawat Properties, Sr No. 10/1 and Sr No. 13, Vadgaon Budruk, Pune – 411041.

Subject: Environmental Clearance for Proposed Residential Site "Aura Waters" at Sr No. 10/1 and Sr No. 13, Vadgaon Budruk, Pune – 411041 by M/s.

Ranawat Properties

Reference : Application no. SIA/MH/MIS/280807/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 151<sup>st</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 253<sup>rd</sup> (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Particulars	Commitment on
1	Proposal Number	SIA/MH/MIS/280807/2022
2	Name of Project	Proposed Residential development Project at S
		No. 10 and Sr No. 13/1A/2, Vadgaon Budruk,
	·	Pune by M/s. Ranawat Properties
3	Project Category	Category 'B2', Activity 8(a)
4	Type of institution	Private
5	Name of Project Proponent	Name: Mr. Vishal Vilas Jain
		Address: Shop No. 15 & 16, Centre Point, Mitra
	·	Mandal Chowk, Swargate, Pune, Maharashtra
		411009 -
6	Name of Consultant	J. M. EnviroNet Pvt. Ltd.
7	Applied for	New Project
8	Details of Previous EC	No.
9	Location of the project	S No. 10 and Sr No. 13/1A/2, Vadgaon Budruk,
		Pune
-	Taluka	Haveli
	Village	Vadgaon Budruk
	District	Pune
10	Latitude & Longitude	Latitude – 18°28'42.30"N
	·	Longitude – 73°48'51.51"E
11	Total Plot Area (m <sup>2</sup> )	12,800.00 sq. m.
12	Deductions (m <sup>2</sup> )	4766.17 sq. m.

13	Net Plo	t area(m²)		8033.83 sq. m						
14		ed FSI area (m <sup>2</sup> )		47491.11 sq. m						
15		ed Non FSI area (	m <sup>2</sup> )	29812.58 sq. m						
16		ed Total Built-		77303.69 sq. m						
10		Non-FSI) (m <sup>2</sup> )	ар тагоа	77505.07 sq. m						
17		ilt up area (m²) a	pproved	77303.69 sq. m as	per IOD rece	eived.				
		ning authority til			P · · · · · · · ·					
18		l coverage (m²) &		<b></b> .	~~					
19		roject Cost (Rs.)	iiii	Rs.238 Cr.		•				
20		per MoEF & CC	circular							
		1/05/2018								
-21	Number of buildings & its configuration:									
	SN	Building Name				Height (m)				
	1 20%	<u> </u>	2000.00 E	Ground + Upper Gro	und 4					
	1 /	Building A (Residential +				71.20 m				
		MHADA)	Floors	production of the contract of						
	2	Building B		Ground + Upper Gro	und 4					
,		Dunding D	1+ Podium 2+ Pod		71.20 m					
	100		Floors		din 5 . 20	71.20 III				
	3	Building C		Fround + Unner Gra	und +					
		Dunung C	Podium	Ground + Upper Ground +  I+ Podium 2+ Podium 3 + 20  Ground + Upper Ground +						
			Floors							
	4	Building D								
		Building D		1+ Podium 2+ Pod		68.30 m				
			Floors							
22	Number	of tenants and	Residen	tial Flats - 459 no.						
	shops									
	Number resident	일 강하는 경험 기계 가는 그는 사람들이 가득 살이 되었다.	l Residen	tial - 2295 persons						
23	Water B	udget	West of							
		son (CMD)	1,	Wet Season						
		, , ,	206.55	Fresh wate	206.55					
£.			103.28	Recycled	water-	103.28				
			105.26	ing the state of t	105.20 - 5.4					
	Recycled		6.52	Flushing (CMD):  Recycled water- 00						
	•	ng (CMD):	The state of the s		Gardening (CMD):					
			00	Swimming	00					
	(Cum):	ng poor makeap								
1			THE TEXT HOSPING	- I makeun ici	ımı:					
	<u> </u>	ater	316 35	makeup (Co	<del></del>	309.83				
-	Total Wa	1 . 27	316.35	Total Wate		309.83				
	Total Wa	ment (CMD)	316.35	Total Wate Requireme	nt (CMD)					
	Total War	ment (CMD)	316.35	Total Wate Requireme Waste wate		309.83 278.84				
24	Total Wa Requires Waste wa (CMD)	ment (CMD)	316.35 278.84	Total Wate Requireme Waste wate (CMD)	nt (CMD)	278.84				
	Total Wa Required Waste wa (CMD) Water S	ment (CMD) Iter generation Storage Capacity f	316.35 278.84	Total Wate Requireme Waste wate (CMD)	nt (CMD) generation 400 KLD (	278.84				
25	Total Wa Required Waste wa (CMD) Water S	ment (CMD)  Iter generation  Storage Capacity for water	316.35 278.84 or Firefigl	Total Wate Requireme Waste water (CMD) hting /UGT (m3)	nt (CMD) generation 400 KLD ( PMC	278.84 1 No)				
	Total Ware Required Waste war (CMD)  Water Source  Rain	ment (CMD) Inter generation Storage Capacity for water Water	316.35 278.84 Or Firefigl  Level of	Total Wate Requireme Waste wate (CMD)	nt (CMD) generation 400 KLD ( PMC Post monso	278.84				
25	Total Ware Required Waste war (CMD)  Water Source  Rain	ment (CMD)  Iter generation  Storage Capacity for water	316.35 278.84 or Firefigl	Total Wate Requireme Waste water (CMD) hting /UGT (m3)	nt (CMD) generation 400 KLD ( PMC Post monso - 6 m bgl	278.84 1 No) con water level 5				
25	Total Ware Required Waste war (CMD)  Water Source  Rain	ment (CMD) Inter generation Storage Capacity for water Water	316.35 278.84 Or Firefigl  Level of	Total Wate Requireme Waste water (CMD) hting /UGT (m3)	nt (CMD) generation 400 KLD ( PMC Post monso - 6 m bgl	278.84  1 No)  con water level 5  on water level 8				

	,	Size and	no o	f RWH	NA					
j		tank(s) ar			1428					
		$\overline{}$		of the RWH of recharge pits:		NA				
		Quantity	of re			s				
		Size of re	echa	rge pits:	2 m x 2 m x 2.5 m with 60 m					
						echarge bore well				
	Details of UGT tanks if	Domestic	Tank		258.20 KLD					
	any:	Fire Tank	Tamb	Control Sept.	400 K					
27	Sewage and Waste water	Drinking Sewage			51.60 KLD 278.84 KLD					
2,	bewage and waste water	CMD:	gen	Clation III	270.0					
		STP tech	nolo	ovi	MBR	alialitat Etiopi				
				TP (CMD):	285 K	277 - 27				
28	Solid Waste	1 1,11 6 1	2.1	2 to	200 F					
20	Management during Construction Phase	Total waste Dry waste Wet waste	- 10	kg/d	ku ti Visita Tipa	사 기계 (대한 기계) (1) (1) 전 (대한 기계) (기계)				
	Solid Waste	Туре	in in it.	Quantity (kg	/day)	Treatment/disposal				
	Management during Operation Phase:	Dry wast	e:	460 kg/day	34 1. 74 1. 75	Handed over to Swach				
		Wet wast	e:	690 kg/day		OWC proposed -750 kg/day				
		Hazardou waste:	S	NA		NA				
		Biomedic waste	al	al						
		E-Waste		6 kg/day		Handed over to Swach				
		STP Slud	ge 25.15 kg/day			Used as manure after				
: 1		(Dry)			OWC Treatment					
30	<b>Green Belt Development</b>									
	Total RG area (m2):		al RG area requ		03.38 sq. m					
	Existing trees on plot	Pro	vided: 811.91 s	sq. m						
-	Number of trees to be plan	102 no. as required.								
	No of trees to be cut	04								
	Number of trees to be transp	02								
	No of trees to be protected	00								
31	Power Requirement				,	<del></del>				
	Source of power supply:				MSEDCL					
	During Construction	75 KW								
	(Demand Load)	T Hube.	Phase: 75 KW							
	During Operation					3641.47 KVA (3277.32 KW)				
	(Connected load):									
	During Operation phase			14.32 KVA (138	39.89 K	W)				
	(Demand load):									
	Transformer:	2 x 630 KVA , 1 x 315 KVA								

	DG set:				!	380 KV	Ά				<del></del>	
ļ	Fuel use											
32		Details of Energy saving:										
32	S. no Energy Cor				ervation	Measuro	es .		Savir	19%		
-					nt Solar lig					PV- 3	% +	
					np; drivew	_						
					•			Total- 22 %.				
33	Environ	panel + Solar Hot water system. Total- 22 %. ronmental Management Plan budget during Construction Phase										
	S.			<u> </u>	otanje dije i dijeljeni na kalence.				Total Cost per			
	No.	Att	ributes	I	<b>Parameter</b>					annum (Rs. In Lacs)		
	1	Air			Erosion control – dust suppression					Rs. 1,	06,000 /-	
	. :		a, i hir v		easures ai			196. g		k., W		
	2	Land			ite Sanitat			Transport	71 East 1		6,500/-	
	3	gitt.	ronment	E	nvironme	ntal Mon	itorin	g	da i	Rs. 1,	20,000/-	
, ,	#Philips !	management							F (1981)		22.000.1	
}	4	Healt	h & safet	y   D	isinfection	n and He	alth C	heck-	ups [		33,000 /-	
	<u>Total</u>	i al			- Thi T				4.		3,85,500/-	
34	Environ	menta	il Manag	<u>gemer</u>	it Plan bi	uaget av	iring					
	S. No								ital c In La		Operational and	
		Cor	nponent	Wall	Descrip	) LIOILessien	idha.	RS.	111 T/S	ics	Maintenance	
			á ve			û. bjak	1485	ii		e. Nac	cost (Rs. In	
				- yedrodiği. daliğan	lotorifu, shirida America da Asilia	Ng jadhi Yesh Ng Paga	. otta Lijer	14.1	Prishnana		Lacs/yr)	
	1	Sew	яое		STP base	ed on ME	BR				Pro C.S.	
	<b>.</b>		age itment Pla	ınt	STP based on MBBR technology			Rs. 9	Rs. 90,50,00 /-		Rs.16,52,030 /-	
	2		d Waste		OWC			1 18,287			Rs.4,46,640 /-	
	B Ma	1 1 6 4	agement		R			Rs. 1	7,50,	000 /-		
	3		medical		R			Rs. 1	.00.0	00/-		
		was										
			ı Water		RWH pits					<u>i jarana</u> Balana	# ## ## ##############################	
i ja ja			vesting		RWITPIG			Rs. 1	Rs. 18,25,000 /-		Rs. 91,250/-	
	<u>. 54 - 54 - 54 - 54 - 54 - 54 - 54 - 54 </u>	*****		14 A	T		<u></u>	. 1.60 		<u>174 - 14 -</u> - 24 E		
487	5		en Belt		Solor DV nanels &			Rs. 3	s. 38,50,000 /-		Rs. 7,70,000 /-	
1	78	Dev	elopment	:				100.			He is a second	
	6	Ene	ergy		solar hot water			Rs. 7	ks. 78,50,000 /-		Rs. 3,92,500/-	
	7	Env	ironment	al	Environ		1.5		1.1	855		
	Z.,	1.3	nomneme		Monitor		, . m;50e	-			Rs.1,20,000/-	
	9		ement				2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		- · ·	000 (	D 75 000 /	
	,	Ventilation				Ks. I	Rs. 15,00,000 /-		Rs. 75,000 /-			
35	Traffic N	-		::	viet in 1	· · · · · · · · · · · · · · · · · · ·		<b>.</b>				
			Requ			Act	Actual provid		ed Area			
1	4-wheele	er	354				354	4			7061.00 sq. m	
	2 - whee			1318				8 As pe			As per Rule	
L	Cycle											
36				-	gations w.r.t. the No							
	project a	and p	roject lo	catior	ı if any.							

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its

253<sup>rd</sup> (Day-3) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

# **Specific Conditions:**

# A. SEAC Conditions-

- 1. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places. PP to ensure that this should be provided in AC/DC combination.
- 2. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.
- 3. PP to provide green pavers in parking area instead of hard pavement.

#### **B. SEIAA Conditions-**

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 47491.11m2, Non FSI-29812.58m2, Total BUA-77303.69 m2. (Plan approval No., 1637/22/DPO/Zone no 2, Date:-29.09.2022)

#### **General Conditions:**

### a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.

- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
  Protection and Preservation of Trees Act, 1975 as amended during the validity of
  Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

#### B) Operation phase:-

I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved

- sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
  - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on

- the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

# C) General EC Conditions:

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without

prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

# Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.